

STHOR



20V Li-Ion



DRILL DRIVER

78080*

78081 2 Ah

78082 2x2 Ah



- Sensitive trigger switch
- Precise speed control
- Steel planetary gearbox

A robust screwdriver for driving screws of various sizes, drilling in metal, drilling with spade bits in wood, and non-impact drilling in bricks with universal drill bits.

20 V
Li-Ion

26 Nm

0-350 min⁻¹
0-1300 min⁻¹

0,8-10mm



BRUSHLESS DRILL DRIVER

78084*

78085 2 Ah



- Combines high power with a lightweight and compact design
- Durable metal chuck

A compact brushless screwdriver with high torque. It is suitable for drilling in metal with twist drills, wood and metal with hole saws, or stainless steel sheets with step drills.

20 V
Li-Ion

45 Nm

0-450 min⁻¹
0-1600 min⁻¹

0,8-10mm



BRUSHLESS MOTOR
SLIM BEZ-SECCZYNOWY



CORDLESS TOOL KIT:

ANGLE GRINDER

+ **DRILL DRIVER**

+ **BATTERY CHARGER 2 A**

+ **BATTERY 2 Ah**

78097

20 V
Li-Ion

0-350 min⁻¹
0-1300 min⁻¹

0,8-10mm

26 Nm

8000 min⁻¹

125 mm

M14



ANGLE GRINDER

78090*

78091 2 Ah

- High torque of the gearbox
- PCB system protects the user from kickback



High cutting performance, durable housing, strong steel angle gearbox allowing fast and safe cutting of metal elements, ceiling profiles, and threaded rods.

20 V
Li-Ion

8000 min⁻¹

125 mm

M14



A set consisting of a 2 A charger and batteries with two different capacities, providing the flexibility to adjust the power supply and tool significance to the user's needs.

* Battery not included

ROTARY HAMMER SDS+ 78107*



- Compact and lightweight
- Includes 6, 8, and 10 mm SDS+ drill bits
- Dual-mode operation for drilling and hammer drilling

An electro-pneumatic SDS+ hammer drill that allows drilling in hard concrete, brick, metal, and wood (with the hammering function turned off).

CIRCULAR SAW 78132* 78133 2 Ah



- Maximum cutting depth of 45 mm (90°), 30 mm (45°)
- Angle adjustment for cutting from 0 to 45 degrees
- Comes with a 24-tooth blade for cutting wood, OSB, and MDF boards

A powerful cordless saw with a precisely crafted base, allowing for precise cutting of OSB boards, laminates, and wood.

JIG SAW 78136* 78137 2 Ah



- Compatible with „T” shank blades
- Pendulum system
- Dust extraction system

A jig saw for cutting floor panels, boards, metal tubes, aluminum door thresholds, and even deck boards and joists.

IMPACT SCREWDRIVER 78113*



- Easy removal of damaged screws
- Compatible with accessories with a hex drive
- Maximum torque: 150 Nm

An impact driver for working with wooden structures, screws, and fasteners. Screwdriving does not require applying pressure to the tool.




RANDOM ORBITAL SANDER 78143*



- Two-plane movement of the grinding foot
- Adjustable rotational speed
- Possibility to connect to a vacuum cleaner

A paint-stripping grinder for removing paint coatings from wooden and metal surfaces. Excellent for renovating outdoor furniture, pergolas, railings, and wooden fences.

SABRE SAW 78138* 78139 2 Ah




- Small blade stroke facilitates precision work
- Comfortable handle
- Compact size for convenient and safe use



A reciprocating saw for garden and home use. It can cut tree trunks up to 150 mm thick.



MULTI-PURPOSE OSCILLATING TOOL 78151*



- Damage-free edge cutting
- Low dust production
- Tool-free accessory exchange



Versatile tool for safe cutting and grinding of wood and metal. Recommended for furniture restoration and precise finishing work, such as trimming frames and cutting panels.

GLUE GUN 78155*



- Short heating time (1 minute)
- Available in various colors, 11 mm glue sticks
- Operating temperature of 200°C



Safe and portable glue gun with anti-drip protection.

STAPLER 78158*



- Type 55 rectangular staples, with lengths ranging from 15-25 mm
- Type 47 nails, with lengths ranging from 15-32 mm

Powerful staple and nail driver.



GRASS TRIMMER

78180*

78181 2 Ah

- Aluminum shaft
- Automatic line feeding
- Edge-trimming wheel



Telescopic trimmer with adjustable head angle and rotating handle.

20 V Li-Ion	8000 min ⁻¹
250 mm	1.2 mm 6 m
CUTTING LINE ZYLKA TNACA	2 POSITIONS POZYCJE
TELESCOPIC HANDLE UCHWYT TELESKOPOWY	HEAD ANGLE ADJUSTMENT REGULACJA KATA GLOWICY
ADJUSTABLE ADDITIONAL HANDLE REGULOWANY DODATKOWY	ABS TPR

HEDGE TRIMMER

78184*

78185 2 Ah

- Adjustable handle length: 237-297 cm
- Effective cutting system for fresh shoots and branches
- Scissor blades move in two planes



Telescopic hedge shears with adjustable head angle.

20 V Li-Ion	1200 min ⁻¹
297 237 cm	TELESCOPIC HANDLE ADJUSTMENT UCHWYT TELESKOPOWY
∅ 14 mm	HEAD ANGLE ADJUSTMENT REGULACJA KATA GLOWICY
6 POSITIONS POZYCJE	EASY TRANSPORT LATWY TRANSPORT

MINI CHAINSAW

78210*

78211 2 Ah

- Brushless motor
- Convenient one-handed operation
- Plastic cover for the upper part of the chain



Lightweight and easy-to-maneuvre cordless chainsaw for cutting branches and limbs.

20 V Li-Ion	6" 15 cm	4.2 14" 0.35 mm	5 m/s
0.043 1.1 mm	33	QUICK CHAIN TENSION SYSTEM SYSTEM SZPANKO NAPRAWIANIA	BRUSHLESS MOTOR SIŁNIK BEZ SZCZOTKOWY

HEDGE TRIMMER

78186*

78187 2 Ah

- Two-handed safety switch
- Blade made of 65 Mn steel with heat treatment
- Shear teeth can be resharpened



Handy hedge shears, recommended for shaping ornamental shrubs.

20 V Li-Ion	1200 min ⁻¹	450 mm	∅ 14 mm
SOFT GRIP MIEKKI UCHWYT	ABS TPR		

POLE CHAINSAW

78203*

78204 2 Ah

A cordless hedge trimmer with a telescopic handle and adjustable head angle.



- Automatic chain lubrication
- Adjustable saw head (0°, 15°, 30°)
- Adjustable handle length of 214-274 cm

20 V Li-Ion	8" 20 cm	4.2 3 1/8" 8.52 mm	5 m/s	0.05 1.3 mm	AUTOMATIC CHAIN LUBRICATION AUTOMATYCZNE SMAROWANIE UKŁADU TNACZEGO	TELESCOPIC HANDLE UCHWYT TELESKOPOWY	274 214 cm	HEAD ANGLE ADJUSTMENT REGULACJA KATA GLOWICY	3 POSITIONS POZYCJE	EASY TRANSPORT LATWY TRANSPORT
----------------	-------------	--------------------------	-------	----------------	---	---	------------------	---	---------------------------	---

BLOWER

78190*

- Recommended for cleaning leaves, sawdust, hedge trimming, and driveway dust
- Easy one-handed operation
- Removable tube for convenient storage




A compact blower for gardening and cleaning tasks.

20 V Li-Ion	13000 min ⁻¹
270 km/h	4 m/min
ABS TPR	

* Battery not included

BATTERY 20 V 2 Ah 78250



- Overheating and discharge protection
- Dust and moisture-resistant discharge indicator
- Compatible with both a 2 A charger (charging time: 60 minutes) and a 4 A charger (charging time: 30 minutes)

A durable Li-Ion battery compatible with all Sthor 20 V tools system.


BATTERY CHARGER 2 A 78260



- Charges a 2 Ah battery in approximately 60 minutes, and a 4 Ah battery in 120 minutes
- Automatic shut-off feature after charging is complete
- Diagnostic function - if cell damage is detected, it interrupts the charging process

The Sthor 20 V battery charger.

BATTERY 20 V 4 Ah 78252



- Overheating and discharge protection
- Dust and moisture-resistant discharge indicator
- Compatible with both a 2 A charger (charging time: 120 minutes) and a 4 A charger (charging time: 60 minutes)

A durable Li-Ion battery compatible with all Sthor 20 V tools system.

BATTERY CHARGER 4 A 78261



- Charges a 2 Ah battery in approximately 30 minutes, and a 4 Ah battery in 60 minutes
- Automatic shut-off feature after charging is complete.
- Diagnostic function - if cell damage is detected, it interrupts the charging process

The Sthor 20 V battery charger.

STARTER KIT (BATTERIES AND CHARGER) 78262



A set consisting of a 2 A charger and batteries with two different capacities, providing the flexibility to adjust the power supply and tool significance to the user's needs.